AUTHOR INDEX

Allotta, B., 103
Anagnostopoulos, K., 541

Barraud, A., 493
Basser, P., 107
Battilotti, M., 209
Beckmann, E., 267
Beghi, M., 481
Bergamasco, M., 115
Bergveld, P., 1, 3, 279, 509, 531, 547, 623
Bhardwaj, J. K., 81
Blasquez, G., 387
Blom, F. R., 219, 513
Bomer, J., 531
Bott, B., 467
Böttger, U., 355
Boukabache, A., 387
Bouwstra, S., 219, 513
Burd, N. C., 601
Burr, P. M., 475
Buser, R. A., 145
Butta, N., 481

Cambiaso, A., 451
Cauhape, J. S., 319
Cenderelli, S., 451
Chavez, F., 279
Chesmehdoost, A., 173
Cockshott, C. P., 167
Colilli, R., 209
Colin, B., 461

D'Amico, A., 55
Dämon, A., 259, 267
Dario, P., 103, 115
Delapierre, G., 123
den Besten, C., 547
de Rooij, N. F., 145, 275, 537, 541
De Rossi, D., 107
Derost, G., 493
Domenici, C., 107
Dorey, A. P., 601
Drinali, M., 601
Duffy, C. J., 345

Eguchi, K., 319
Elwenspoek, M., 139, 219, 513

Faltenmaier, J., 481
Fiorillo, A. S., 103
Fluitman, J. H. J., 139, 219, 513
Francesconi, R., 103
Francis, C., 285

Gall, M., 583
Gardies, F., 461
Gernet, S., 537
Gerritsma, G. J., 297
Giannini, I., 209
Gimmel, P., 195
Giongo, M., 209
Gompf, B., 195
Göpel, W., 195, 377, 555
Graeger, V., 521
Grattarola, M., 451
Greenwood, J. C., 241
Greve, J., 531
Grisel, A., 285
Grögor, E., 329
Groothengel, R. A., 509
Gross, J., 405
Gunn, B., 81
Gustafsson, K., 157

Harkoma, A., 369
Harrington, S. J., 81
Heiland, G., 355
Henrion, L., 493
Hickman, D., 345
Hierold, Chr., 587
Hogenkamp, D., 259, 267
Hök, B., 157
Honoré, M., 361
Hu, B., 275
Hübner, H. P., 351
Hück, R., 355

Jeffery, P. D., 475
Jones, B. E., 173, 501
Jones, T. A., 467
Joon, M. M., 255
Jornod, A., 415

Kalita, W., 225
Kexing Liu, 501
Klein, M., 195, 203
Kloeck, B., 541
Kobs, R., 521
Kohl, D., 309, 355
Kölling, A., 623
Kollmann, J., 267
Koomen, S., 623
Kooyman, R. P. H., 531
Kopystynski, P., 69
Koreman, C. G. A., 181
Koudelka, M., 537
Kreuwel, H. J. M., 297

Lambeck, P. V., 297
Lammerink, T. S. J., 219
Laurensse, I. J., 181
Lazzeri, L., 107
Lenkkeri, J., 75
Leppävuori, S., 75, 369
Levoska, J., 75
Lian, W., 609
Lucat, C., 319
Lutz, R., 329

McAleer, J. F., 313
Maignan, A., 313
Mandrand, B., 461
Mari, C. M., 481, 569
Martelet, C., 461
Menil, F., 319
Mondin, G., 285
Moons, J., 361
Moseley, P. T., 313
Mosser, V., 405
Müller, R., 583, 587
Muntwyler, M., 541

Nannini, A., 107
Neumann, B., 259, 267
Nobel, J., 255
Nuscheler, F., 593

© Elsevier Sequoia/Printed in The Netherlands

Obermeier, E., 69, 351
Olthuis, W., 279

Pacaud, S. J., 167
Paszczyński, S., 225
Peeters, E., 423
Pizzini, S., 481
Pons, P., 387
Popma, Th. J. A., 297
Popović, R. S., 39
Potencki, J., 225
Puers, B., 423

Regtien, P. P. L., 91
Reinhoudt, D. N., 189, 297
Roggen, J., 361
Ruaudel-Teixier, A., 493
Rudolf, F., 415
Rutgers, W. R., 181

Salsedo, F., 115
Sansen, W., 423, 615
Satchell, D. W., 241
Schäfer, H., 521
Schäfer, W., 27
Schasfoort, R. B. M., 531
Schierbaum, K. D., 377
Schindler, K., 555
Schmeisser, D., 195, 377, 555
Schneider, F., 339
Schrap, P., 219
Schroer, G., 329
Seevinck, E., 623
Skowronska-Ptasinska, M., 189
Spooncer, R. C., 173
Sprenkels, A. J., 509
Steenvoorden, G. K., 255
Stephens, M. A., 81
Stuivinga, M., 255
Sudhölter, E. J. R., 189, 297
Suski, J., 405

Tedesco, M., 451
Tenerz, L., 157
Terzaghi, G., 569
Thorpe, S. C., 467
Timo, G. L., 481
Torvela, H., 369
Turner, A. P. F., 433
Turunen, M., 75

Unwin, J., 575

van den Berg, A., 189
van den Vlekkert, H. H., 275, 541
van de Pol, F. C. M., 139
van der Schoot, B. H., 279
van der Wal, P. D., 189
van der Wey, A. H., 181
Van Geloven, P., 361
van Gent, J., 297
van Paemel, M., 629
van Putten, A. F. P., 615
Verbeek, P. W., 255
Verloop, A. J., 509
Verney, E., 285
Verona, E., 55
Videau, J. J., 319
Vohrer, U., 555
Voorthuyzen, J. A., 547

Walsh, P. T., 575
Wiemhöfer, H. D., 195, 377, 555
Williams, D. E., 313
Wolffenbuttel, R. F., 249
Wonnink, D. G. J., 139
Wouters, S., 609

Xing, Y. Z., 339

Yntema, H., 219

Zwicker, U. T., 235

SUBJECT INDEX

Accelerometer
  interface circuit for capacitive, 629
  thermally-excited Si, 241
Acid–base titrations
  dipstick sensor for coulometric, 279
A/D converter array
  sensor–, construction technique for large, 609
Anemometer design
  advanced Si, with constant voltage-to-current ratio biasing, 615
Artificial hands
  shape memory alloy micromotors for direct-drive actuation of dexterous, 115
Automatic microscopy
  and metrology, laser-autofocus for, 267

Binary oxides
  detection of phosphine with semiconductive Fe_2O_3 thick films; comparison with other, 319
Biological materials
  capacitive measurements in EIS systems modified by, 451
Biosensor research and development
  current trends in, 433
Bubble-level tilt sensor
  with large measurement range, 339

CAD tools
  in mechanical sensor design, 423
Camera
  range-finding, based on position-sensitive device array, 255
Capacitance measurements
  feasibility of immunosensor based on, 461
Capacitive absolute pressure sensor
  high-precision, 415
Capacitive accelerometer
  interface circuit for, 629
Capacitive measurements
  in EIS systems modified by biological materials, 451
Carbon dioxide
  gas-sensing electrode based on pH-ISFET with back-side contacts, 275
Carbon monoxide
  detection of concentration of, using SnO_2 gas sensors in combustion gases of different fuels, 369
Catalytic reactions
  and electronic processes relevant in gas sensing, 309
Chemical sensors
  prototype, for selective detection of O_2 and NO_2 in gases, 377
Chlorine
  solid-state galvanic cell for monitoring Cl partial pressure, 569
Chromoionophores
  in optical ion sensors, 297
Combustion gases
  detection of concentration of CO using SnO_2 gas sensors in, of different fuels, 369
Construction technique
  for large sensor–A/D converter array, 609
Co-sensitivity
  reactively sputtered Sn oxide thin-film gas sensors; correlation between fabrication parameters and, 351
Coulometric acid–base titrations
  dipstick sensor for, 279

Dielectric thin film
  excitation and detection of vibrations of micromechanical structures using, 219
Dipstick sensor
  for coulometric acid–base titrations, 279
Direct-drive actuation
  of dexterous artificial hands, shape memory alloy micromotors for, 115
Dynamic behaviour
  of Si microcalorimeter, investigation of, 593

© Elsevier Sequoia/Printed in The Netherlands

Electret microphone
development of, in Si, 509
Electrochemical sensors
packaging technologies for integrated, 285
Electrode
planar glucose enzyme, 537
Electrolyte–insulator–semiconductor systems
capacitive measurements in EIS systems modified by biological materials, 451
Electromechanochemical skin analog tactile sensing by, 107
Electronic processes
catalytic reactions and, relevant in gas sensing, 309
Encoder/decoder
mark-to-period, for low-level sensor communications, 601
Excitation
and detection of vibrations of micromechanical structures using dielectric thin film, 219

Fabrication parameters
reactively sputtered Sn oxide thin-film gas sensors; correlation between, and co-sensitivity, 351
Fibre-optic sensors
micro-mechanical approach, 157
Field-effect transistor
ion-selective membrane chemically bound to, 209
Force sensor
free-end beam-type, with thick-film resistor as strain-sensitive element; towards optimum construction, 225
resonating Si beam, 513

Galvanic cell
solid-state, for monitoring Cl partial pressure, 569
Gas mixtures
investigation of, with different MOS gas sensors with regard to pattern recognition, 583
quantitative analysis of, with non-selective gas sensors, 587
Gas sensing
catalytic reactions and electronic processes relevant in, 309
Gas-sensing electrode
CO_2, based on pH-ISFET with back-side contacts, 275
Gas-sensing properties
of polymeric Si and Ge phthalocyanine films, 475
Gas sensors
detection of concentration of CO using SnO_2, in combustion gases of different fuels, 369
fast response metal phthalocyanine-based, 467
investigation of gas mixtures with different MOS, with regard to pattern recognition, 583
quantitative analysis of gas mixtures with non-selective, 587
reactively sputtered Sn oxide thin-film; correlation between fabrication parameters and co-sensitivity, 351
Sn(IV) oxide; thick-film *versus* metallo-organic based sensors, 361
Gastroenterological applications
combined pH–pressure catheter for, 541
Germanium
gas-sensing properties of polymeric Si and Ge phthalocyanine films, 475
Glucose enzyme electrode
planar, 537

Hall-effect devices, 39
High-integrity bus structure
for optical fibre sensors, 173
Hydrogen
spillover effects in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355

Immunological reaction
modulation of ISFET response by, 531
Immunosensor
feasibility of, based upon capacitance measurements, 461
Industrial application
temperature sensors; new technologies on their way to, 27
Interface circuit
for capacitive accelerometer, 629
Intraocular pressure
new device for measurement of, 547
Ion-selective membrane
chemically bound to field-effect transistor, 209
Ion-sensing
using chemically modified ISFETs, 189

Ion sensors
chromoionophores in optical, 297
Iron
detection of phosphine with semiconductive Fe_2O_3 thick films; comparison with other binary oxides, 319
ISFET(s)
ion-sensing using chemically-modified, 189
pH-, with back-side contacts, CO_2 gas-sensing electrode based on, 275
time effects of, 203
ISFET response
modulation of, by immunological reaction, 531

Langmuir–Blodgett film
detection of phosphine with, of *N*-octadecyl pyridinium, TCNQ, 493
Laser-autofocus
for automatic microscopy and metrology, 267
Laser-induced deposition
and etching of materials; new technology for sensor fabrication, 75

Metallo-organic based sensors
Sn(IV) oxide gas sensors; thick-film *versus*, 361
Metal phthalocyanine-based gas sensors
fast response, 467
Methane
spillover effects in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355

Microcalorimeter
investigation of dynamic behaviour of Si, 593
Micro-machining
survey of most commonly used processes, 123
Micro-mechanical approach
fibre-optic sensors, 157
Micromechanical structures
excitation and detection of vibrations of, using dielectric thin film, 219
Microminiature pump
thermo-pneumatic actuation principle for, and other micromechanical devices, 139
Micromotors
shape memory alloy, for direct-drive actuation of dexterous artificial hands, 115
Microphone
development of electret, in Si, 509
Microscopy and metrology
laser-autofocus for automatic, 267
MOS gas sensors
investigation of gas mixtures with different, with regard to pattern recognition, 583
Multiplex system
two-lead, for sensor array applications, 623

Nitrogen dioxide
prototype chemical sensors for selective detection of O_2 and NO_2 in gases, 377
Nitrogen oxides
influence of structure and morphology on sensitivity to, of phthalocyanine thin-film resistivity sensors, 481

N-Octadecyl pyridinium
detection of phosphine with Langmuir–Blodgett film of, TCNQ, 493
Optical current
and voltage sensors, applications for, 181
Optical fibre links
pressure sensors and actuators incorporating, 501
Optical fibre reflective sensor
compensation of, 167
Optical fibre sensors
high-integrity bus structure for, 173
Optical ion sensors
chromoionophores in, 297
Optical sensors
for position measurements, 329
Optoelectronic sensor
for measuring shape of two-dimensional objects, 259
Organic vapours
monitoring, using pyrolysis–amperometry, 575
Oxygen
prototype chemical sensors for selective detection of O_2 and NO_2 in gases, 377
Oxygen-ion conducting ceramic
use of, to probe reactions taking place on surface of semiconducting oxide, 313
Oxygen sensors
spectroscopic and electrical studies of yttria-stabilized zirconia for, 555

Packaging technologies
for integrated electrochemical sensors, 285
Palladium
spillover effects in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355
Pattern recognition
investigation of gas mixtures with different MOS gas sensors with regard to, 583
pH-ISFET
CO_2 gas-sensing electrode based on, with back-side contacts, 275
pH–pressure catheter
combined, for gastroenterological applications, 541
pH-sensitive devices
Ta_2O_5-gates of; comparative spectroscopic and electrical studies, 195
Phosphine
detection of
with Langmuir–Blodgett film of *N*-octadecyl pyridinium, TCNQ, 493
with semiconductive Fe_2O_3 thick films; comparison with other binary oxides, 319
Photodiodes
flexible spectral-response shaping of Si photodiodes, 249
Phthalocyanine
fast response metal phthalocyanine-based gas sensors, 467
gas-sensing properties of polymeric Si and Ge, films, 475
thin-film resistivity sensors, influence of structure and morphology on sensitivity to N oxides of, 481
Polysilicon layers
in solid-state sensors, wide-ranging applications of, 69
Position measurements
optical sensors for, 329
Position-sensitive device array
range-finding camera based on, 255
Pressure
Cl partial, solid-state galvanic cell for monitoring, 569
combined pH–pressure catheter for gastroenterological applications, 541
Pressure sensor(s)
and actuators incorporating optical fibre links, 501
high-precision capacitive absolute, 415
polysilicon SOI, 405
Si, capabilities and limits of, 387
temperature-independent, using polycrystalline Si strain gauges, 521
Pyrolysis–amperometry
monitoring organic vapours using, 575

Range-finding camera
based on position-sensitive device array, 255
Resistivity sensors
phthalocyanine thin-film, influence of structure and morphology on sensitivity to N oxides of, 481
Resonant Si structures, 145
Robot control
sensor systems for, 91
Robotic fingertip
ultrasonic range sensor array for, 103

SAWR
strain sensor with commercial, 235
SAW sensors, 55
Semiconducting oxide
use of O-ion conducting ceramic to probe reactions taking place on surface of, 313
Sensor–A/D converter array
construction technique for large, 609
Sensor array
ultrasonic range, for robotic fingertip, 103
Sensor array applications
two-lead multiplex system for, 623
Sensor communications
mark-to-period encoder/decoder for low-level, 601
Sensor design
CAD tools in mechanical, 423
Sensor fabrication
laser-induced deposition and etching of materials; new technology for, 75
Sensor manufacture
application of VLSI production techniques to, 81
Sensor systems
for robot control, 91
Shape
of two-dimensional objects, optoelectronic sensor for measuring, 259
Shape memory alloy micromotors
for direct-drive actuation of dexterous artificial hands, 115

Signal enhancement
comparison between temporal coherence and spectral filtering techniques for, 345
Silicon
advanced Si anemometer design with constant voltage-to-current ratio biasing, 615
development of electret microphone in, 509
flexible spectral-response shaping of Si photodiodes, 249
gas-sensing properties of polymeric Si and Ge phthalocyanine films, 475
polysilicon SOI pressure sensor, 405
pressure sensors, capabilities and limits of, 387
resonant Si structures, 145
thermally-excited Si accelerometer, 241
Silicon beam
resonating, force sensor, 513
Silicon microcalorimeter
investigation of dynamic behaviour of, 593
Silicon strain gauges
temperature-independent pressure sensor using polycrystalline, 521
Skin analog
tactile sensing by electromechanochemical, 107
Solid-state sensors
wide-ranging applications of polysilicon layers in, 69
Spectral filtering techniques
comparison between temporal coherence and, for signal enhancement, 345
Spectral-response shaping
of Si photodiodes, flexible, 249
Spectroscopic and electrical studies
Ta_2O_5-gates of pH-sensitive devices; comparative, 195
of yttria-stabilized zirconia for O sensors, 555
Spillover effects
in detection of H_2 and CH_4 by sputtered SnO_2 films with Pd and PdO deposits, 355
Strain-sensitive element
free-end beam-type force sensor with thick-film resistor as; towards an optimum construction, 225
Strain sensor
with commercial SAWR, 235
Structure and morphology
influence of, on sensitivity to N oxides of phthalocyanine thin-film resistivity sensors, 481

Tactile sensing
by electromechanochemical skin analog, 107
Tantalum
Ta_2O_5-gates of pH-sensitive devices; comparative spectroscopic and electrical studies, 195
TCNQ
detection of phosphine with Langmuir–Blodgett film of *N*-octadecyl pyridinium, TCNQ, 493
Temperature-independent pressure sensors
using polycrystalline Si strain gauges, 521
Temperature sensors
new technologies on their way to industrial application, 27
Temporal coherence
comparison between, and spectral filtering techniques for signal enhancement, 345
Thermally-excited Si accelerometer, 241
Thermo-pneumatic actuation
principle for microminiature pump and other micromechanical devices, 139
Tilt sensor
bubble-level, with large measurement range, 339
Tin oxide
films with Pd and PdO deposits, spillover effects in detection of H_2 and CH_4 by sputtered, 355
gas sensors, detection of concentration of CO using, in combustion gases of different fuels, 369
thin-film gas sensors, reactively sputtered; correlation between fabrication parameters and cosensitivity, 351
Tin(IV) oxide
gas sensors; thick-film *versus* metallo-organic based sensors, 361
Time effects
of ISFETs, 203
Tonometric sensor
new device for measurement of intraocular pressure, 547

Ultrasonic range
sensor array for robotic fingertip, 103

Vibrations
of micromechanical structures using dielectric thin film, excitation and detection of, 219
VLSI production techniques
application of, to sensor manufacture, 81
Voltage-to-current ratio biasing
advanced Si anemometer design with constant, 615
Voltage sensors
applications for optical current and, 181

Yttria-stabilized zirconia
for O sensors, spectroscopic and electrical studies of, 555